



roots  1975

the
WEAVERBIRD
COLLECTION



WEAVERBIRD

weaverbirdco.com

hello@weaverbirdco.com

showroom : 2732 east coast highway

corona del mar, ca 92625


Vo. 5

Thermacor American Ash : Dark



The Thermacor Collection

Nusku Thermacor has a range of species including American Ash, American Oak & North American Hemlock. Everything in this collection has been treated with heat & steam to modified the wood at a cellular level increasing durability, performance & aesthetic.



DarkAsh : Smooth : No Finish

Product Description

Species: American Ash

Grade: Proprietary Clear

Use: Interior & Exterior

Applications: Decking, fencing, siding, soffit, ceiling & architectural millwork

Product Specifications

Nominal Thickness: 1x, 5/4x, 2x

Nominal Width: 3", 4", 6", 8"

Length: 6-12' + 3-5% of 3-5' (odds & evens)

Pattern: S4S, T&G, Shiplap

Texture: Smooth, Brushed, Textured, Blasted

Finish: No Finish

Fire Rating: WUI Approvals

Applications

Nusku Thermacor Ash & Oak can be used for a broad range of interior & exterior applications. The lighter cook temp is designed for vertical surfaces (siding, soffit, ceiling), while our darker cook temp can handle more challenging applications like decking & fencing.

Maintenance & Resistance

Nusku Thermacor can be a low maintenance wood that does not require any additional treatment beyond normal cleaning. If maintaining the color is desired, ongoing maintenance & refinishing is required as moisture/UV exposure will cause natural wood products to develop a silver patina over time. Consult with our team on how best to plan for your Thermacor project.





The Thermacor Collection

Nusku Thermacor has a range of species including American Ash, American Oak, Pine & North American Hemlock. Everything in this collection has been treated with heat & steam to modified the wood at a cellular level increasing durability, performance & aesthetic.



Smooth



Brushed



Textured



Blasted

Product Description

Type: Hardwood
Species: American Ash
Grade: Proprietary Clear
Use: Interior & Exterior
Applications: Decking, fencing, siding, soffit, ceiling & architectural millwork

Product Specifications

Nominal Thickness: 1x, 5/4x, 2x
Nominal Width: 3", 4", 6", 8"
Length: 6-12' + 3-5% of 3-5' (odds & evens)
Pattern: S4S, T&G, Shiplap
Texture: Smooth, Brushed, Textured, Blasted
Finish: Snow Goose
Fire Rating: WUI Approvals

Applications

Nusku Thermacor Ash & Oak can be used for a broad range of interior & exterior applications. The lighter cook temp is designed for vertical surfaces (siding, soffit, ceiling), while our darker cook temp can handle more challenging applications like decking & fencing.

Maintenance & Resistance

Nusku Thermacor can be a low maintenance wood that does not require any additional treatment beyond normal cleaning. If maintaining the color is desired, ongoing maintenance & refinishing is required as moisture/UV exposure will cause natural wood products to develop a silver patina over time. Consult with our team on how best to plan for your Thermacor project.





The Thermacor Collection

Nusku Thermacor has a range of species including American Ash, American Oak, Pine & North American Hemlock. Everything in this collection has been treated with heat & steam to modified the wood at a cellular level increasing durability, performance & aesthetic.



Smooth



Brushed



Textured



Blasted

Product Description

Type: Hardwood

Species: American Ash

Grade: Proprietary Clear

Use: Interior & Exterior

Applications: Decking, fencing, siding, soffit, ceiling & architectural millwork

Product Specifications

Nominal Thickness: 1x, 5/4x, 2x

Nominal Width: 3", 4", 6", 8"

Length: 6-12' + 3-5% of 3-5' (odds & evens)

Pattern: S4S, T&G, Shiplap

Texture: Smooth, Brushed, Textured, Blasted

Finish: Dove

Fire Rating: WUI Approvals

Applications

Nusku Thermacor Ash & Oak can be used for a broad range of interior & exterior applications. The lighter cook temp is designed for vertical surfaces (siding, soffit, ceiling), while our darker cook temp can handle more challenging applications like decking & fencing.

Maintenance & Resistance

Nusku Thermacor can be a low maintenance wood that does not require any additional treatment beyond normal cleaning. If maintaining the color is desired, ongoing maintenance & refinishing is required as moisture/UV exposure will cause natural wood products to develop a silver patina over time. Consult with our team on how best to plan for your Thermacor project.





The Thermacor Collection

Nusku Thermacor has a range of species including American Ash, American Oak, Pine & North American Hemlock. Everything in this collection has been treated with heat & steam to modified the wood at a cellular level increasing durability, performance & aesthetic.



Smooth



Brushed



Textured



Blasted

Product Description

Type: Hardwood

Species: American Ash

Grade: Proprietary Clear

Use: Interior & Exterior

Applications: Decking, fencing, siding, soffit, ceiling & architectural millwork

Product Specifications

Nominal Thickness: 1x, 5/4x, 2x

Nominal Width: 3", 4", 6", 8"

Length: 6-12' + 3-5% of 3-5' (odds & evens)

Pattern: S4S, T&G, Shiplap

Texture: Smooth, Brushed, Textured, Blasted

Finish: Sandpiper

Fire Rating: WUI Approvals

Applications

Nusku Thermacor Ash & Oak can be used for a broad range of interior & exterior applications. The lighter cook temp is designed for vertical surfaces (siding, soffit, ceiling), while our darker cook temp can handle more challenging applications like decking & fencing.

Maintenance & Resistance

Nusku Thermacor can be a low maintenance wood that does not require any additional treatment beyond normal cleaning. If maintaining the color is desired, ongoing maintenance & refinishing is required as moisture/UV exposure will cause natural wood products to develop a silver patina over time. Consult with our team on how best to plan for your Thermacor project.





The Thermacor Collection

Nusku Thermacor has a range of species including American Ash, American Oak, Pine & North American Hemlock. Everything in this collection has been treated with heat & steam to modify the wood at a cellular level increasing durability, performance & aesthetic.



Smooth



Brushed



Textured



Blasted

Product Description

Type: Hardwood
Species: American Ash
Grade: Proprietary Clear
Use: Interior & Exterior
Applications: Decking, fencing, siding, soffit, ceiling & architectural millwork

Product Specifications

Nominal Thickness: 1x, 5/4x, 2x
Nominal Width: 3", 4", 6", 8"
Length: 6-12' + 3-5% of 3-5' (odds & evens)
Pattern: S4S, T&G, Shiplap
Texture: Smooth, Brushed, Textured, Blasted
Finish: Sparrow
Fire Rating: WUI Approvals

Applications

Nusku Thermacor Ash & Oak can be used for a broad range of interior & exterior applications. The lighter cook temp is designed for vertical surfaces (siding, soffit, ceiling), while our darker cook temp can handle more challenging applications like decking & fencing.

Maintenance & Resistance

Nusku Thermacor can be a low maintenance wood that does not require any additional treatment beyond normal cleaning. If maintaining the color is desired, ongoing maintenance & refinishing is required as moisture/UV exposure will cause natural wood products to develop a silver patina over time. Consult with our team on how best to plan for your Thermacor project.





The Thermacor Collection

Nusku Thermacor has a range of species including American Ash, American Oak, Pine & North American Hemlock. Everything in this collection has been treated with heat & steam to modified the wood at a cellular level increasing durability, performance & aesthetic.



Smooth



Brushed



Textured



Blasted

Product Description

Type: Hardwood
Species: American Ash
Grade: Proprietary Clear
Use: Interior & Exterior
Applications: Decking, fencing, siding, soffit, ceiling & architectural millwork

Product Specifications

Nominal Thickness: 1x, 5/4x, 2x
Nominal Width: 3", 4", 6", 8"
Length: 6-12' + 3-5% of 3-5' (odds & evens)
Pattern: S4S, T&G, Shiplap
Texture: Smooth, Brushed, Textured, Blasted
Finish: Pintail
Fire Rating: WUI Approvals

Applications

Nusku Thermacor Ash & Oak can be used for a broad range of interior & exterior applications. The lighter cook temp is designed for vertical surfaces (siding, soffit, ceiling), while our darker cook temp can handle more challenging applications like decking & fencing.

Maintenance & Resistance

Nusku Thermacor can be a low maintenance wood that does not require any additional treatment beyond normal cleaning. If maintaining the color is desired, ongoing maintenance & refinishing is required as moisture/UV exposure will cause natural wood products to develop a silver patina over time. Consult with our team on how best to plan for your Thermacor project.






The Thermacor Collection

Nusku Thermacor has a range of species including American Ash, American Oak, Pine & North American Hemlock. Everything in this collection has been treated with heat & steam to modified the wood at a cellular level increasing durability, performance & aesthetic.



Smooth



Brushed



Textured



Blasted

Product Description

Type: Hardwood

Species: American Ash

Grade: Proprietary Clear

Use: Interior & Exterior

Applications: Decking, fencing, siding, soffit, ceiling & architectural millwork

Product Specifications

Nominal Thickness: 1x, 5/4x, 2x

Nominal Width: 3", 4", 6", 8"

Length: 6-12' + 3-5% of 3-5' (odds & evens)

Pattern: S4S, T&G, Shiplap

Texture: Smooth, Brushed, Textured, Blasted

Finish: Quail

Fire Rating: WUI Approvals

Applications

Nusku Thermacor Ash & Oak can be used for a broad range of interior & exterior applications. The lighter cook temp is designed for vertical surfaces (siding, soffit, ceiling), while our darker cook temp can handle more challenging applications like decking & fencing.

Maintenance & Resistance

Nusku Thermacor can be a low maintenance wood that does not require any additional treatment beyond normal cleaning. If maintaining the color is desired, ongoing maintenance & refinishing is required as moisture/UV exposure will cause natural wood products to develop a silver patina over time. Consult with our team on how best to plan for your Thermacor project.





The Thermacor Collection

Nusku Thermacor has a range of species including American Ash, American Oak, Pine & North American Hemlock. Everything in this collection has been treated with heat & steam to modified the wood at a cellular level increasing durability, performance & aesthetic.



Smooth



Brushed



Textured



Blasted

Product Description

Type: Hardwood
Species: American Ash
Grade: Proprietary Clear
Use: Interior & Exterior
Applications: Decking, fencing, siding, soffit, ceiling & architectural millwork

Product Specifications

Nominal Thickness: 1x, 5/4x, 2x
Nominal Width: 3", 4", 6", 8"
Length: 6-12' + 3-5% of 3-5' (odds & evens)
Pattern: S4S, T&G, Shiplap
Texture: Smooth, Brushed, Textured, Blasted
Finish: Harrier
Fire Rating: WUI Approvals

Applications

Nusku Thermacor Ash & Oak can be used for a broad range of interior & exterior applications. The lighter cook temp is designed for vertical surfaces (siding, soffit, ceiling), while our darker cook temp can handle more challenging applications like decking & fencing.

Maintenance & Resistance

Nusku Thermacor can be a low maintenance wood that does not require any additional treatment beyond normal cleaning. If maintaining the color is desired, ongoing maintenance & refinishing is required as moisture/UV exposure will cause natural wood products to develop a silver patina over time. Consult with our team on how best to plan for your Thermacor project.





The Thermacor Collection

Nusku Thermacor has a range of species including American Ash, American Oak, Pine & North American Hemlock. Everything in this collection has been treated with heat & steam to modified the wood at a cellular level increasing durability, performance & aesthetic.



Smooth



Brushed



Textured



Blasted

Product Description

Type: Hardwood

Species: American Ash

Grade: Proprietary Clear

Use: Interior & Exterior

Applications: Decking, fencing, siding, soffit, ceiling & architectural millwork

Product Specifications

Nominal Thickness: 1x, 5/4x, 2x

Nominal Width: 3", 4", 6", 8"

Length: 6-12' + 3-5% of 3-5' (odds & evens)

Pattern: S4S, T&G, Shiplap

Texture: Smooth, Brushed, Textured, Blasted

Finish: Barn Owl

Fire Rating: WUI Approvals

Applications

Nusku Thermacor Ash & Oak can be used for a broad range of interior & exterior applications. The lighter cook temp is designed for vertical surfaces (siding, soffit, ceiling), while our darker cook temp can handle more challenging applications like decking & fencing.

Maintenance & Resistance

Nusku Thermacor can be a low maintenance wood that does not require any additional treatment beyond normal cleaning. If maintaining the color is desired, ongoing maintenance & refinishing is required as moisture/UV exposure will cause natural wood products to develop a silver patina over time. Consult with our team on how best to plan for your Thermacor project.





The Thermacor Collection

Nusku Thermacor has a range of species including American Ash, American Oak, Pine & North American Hemlock. Everything in this collection has been treated with heat & steam to modified the wood at a cellular level increasing durability, performance & aesthetic.



Smooth



Brushed



Textured



Blasted

Product Description

Type: Hardwood

Species: American Ash

Grade: Proprietary Clear

Use: Interior & Exterior

Applications: Decking, fencing, siding, soffit, ceiling & architectural millwork

Product Specifications

Nominal Thickness: 1x, 5/4x, 2x

Nominal Width: 3", 4", 6", 8"

Length: 6-12' + 3-5% of 3-5' (odds & evens)

Pattern: S4S, T&G, Shiplap

Texture: Smooth, Brushed, Textured, Blasted

Finish: Harpy Eagle

Fire Rating: WUI Approvals

Applications

Nusku Thermacor Ash & Oak can be used for a broad range of interior & exterior applications. The lighter cook temp is designed for vertical surfaces (siding, soffit, ceiling), while our darker cook temp can handle more challenging applications like decking & fencing.

Maintenance & Resistance

Nusku Thermacor can be a low maintenance wood that does not require any additional treatment beyond normal cleaning. If maintaining the color is desired, ongoing maintenance & refinishing is required as moisture/UV exposure will cause natural wood products to develop a silver patina over time. Consult with our team on how best to plan for your Thermacor project.





The Thermacor Collection

Nusku Thermacor has a range of species including American Ash, American Oak, Pine & North American Hemlock. Everything in this collection has been treated with heat & steam to modified the wood at a cellular level increasing durability, performance & aesthetic.



Smooth



Brushed



Textured



Blasted

Product Description

Type: Hardwood

Species: American Ash

Grade: Proprietary Clear

Use: Interior & Exterior

Applications: Decking, fencing, siding, soffit, ceiling & architectural millwork

Product Specifications

Nominal Thickness: 1x, 5/4x, 2x

Nominal Width: 3", 4", 6", 8"

Length: 6-12' + 3-5% of 3-5' (odds & evens)

Pattern: S4S, T&G, Shiplap

Texture: Smooth, Brushed, Textured, Blasted

Finish: Night Hawk

Fire Rating: WUI Approvals

Applications

Nusku Thermacor Ash & Oak can be used for a broad range of interior & exterior applications. The lighter cook temp is designed for vertical surfaces (siding, soffit, ceiling), while our darker cook temp can handle more challenging applications like decking & fencing.

Maintenance & Resistance

Nusku Thermacor can be a low maintenance wood that does not require any additional treatment beyond normal cleaning. If maintaining the color is desired, ongoing maintenance & refinishing is required as moisture/UV exposure will cause natural wood products to develop a silver patina over time. Consult with our team on how best to plan for your Thermacor project.





The Thermacor Collection

Nusku Thermacor has a range of species including American Ash, American Oak, Pine & North American Hemlock. Everything in this collection has been treated with heat & steam to modified the wood at a cellular level increasing durability, performance & aesthetic.



Smooth



Brushed



Textured



Blasted

Product Description

Type: Hardwood

Species: American Ash

Grade: Proprietary Clear

Use: Interior & Exterior

Applications: Decking, fencing, siding, soffit, ceiling & architectural millwork

Product Specifications

Nominal Thickness: 1x, 5/4x, 2x

Nominal Width: 3", 4", 6", 8"

Length: 6-12' + 3-5% of 3-5' (odds & evens)

Pattern: S4S, T&G, Shiplap

Texture: Smooth, Brushed, Textured, Blasted

Finish: Raven

Fire Rating: WUI Approvals

Applications

Nusku Thermacor Ash & Oak can be used for a broad range of interior & exterior applications. The lighter cook temp is designed for vertical surfaces (siding, soffit, ceiling), while our darker cook temp can handle more challenging applications like decking & fencing.

Maintenance & Resistance

Nusku Thermacor can be a low maintenance wood that does not require any additional treatment beyond normal cleaning. If maintaining the color is desired, ongoing maintenance & refinishing is required as moisture/UV exposure will cause natural wood products to develop a silver patina over time. Consult with our team on how best to plan for your Thermacor project.

