



roots  1975

the
WEAVERBIRD
COLLECTION



WEAVERBIRD

weaverbirdco.com

hello@weaverbirdco.com

showroom : 2732 east coast highway

corona del mar, ca 92625


Vo. 2

Terratek : Engineered Western Red Cedar



The Terratek Collection

Nusku Terratek is our engineered Western Red Cedar that utilizes an A&Btr vertical grain veneer. With that high grade veneer, clients can expect a clean & linear appearance with balanced natural cedar tones.



Engineered Cedar : Smooth : No Finish

Product Description

Species: Western Red Cedar

Grade: A&Btr VG Veneer

Use: Interior & Exterior

Applications: Siding, soffit, ceiling, paneling

Product Specifications

Style: Tongue & Groove

Textures: Smooth

Thickness: 1x

Widths: 4", 6"

Lengths: 6-16' (odds & evens)

Patterns: Micro V-Groove, Nickel Gap (Fineline)

Finish: No Finish

Fire Rating: WUI Approved

Applications

Nusku Terratek T&G is most commonly used for interior & exterior ceilings, soffits & siding applications. It offers a clean finished appearance with our A&Btr vertical grain veneer which doesn't allow knots.

Maintenance & Resistance

Nusku Terratek can deliver without stain or factory finished. On going maintenance is required & is based on the selected coating manufacturer's recommendations for upkeep.





The Terratek Collection

Nusku Terratek is our engineered Western Red Cedar that utilizes an A&Btr vertical grain veneer. With that high grade veneer, clients can expect a clean & linear appearance with balanced natural cedar tones.



Product Description

Species: Western Red Cedar

Grade: A&Btr VG Veneer

Use: Interior & Exterior

Applications: Siding, soffit, ceiling, paneling

Product Specifications

Style: Tongue & Groove

Textures: Smooth

Thickness: 1x

Widths: 4", 6"

Lengths: 6-16' (odds & evens)

Patterns: Micro V-Groove, Nickel Gap (Fineline)

Finish: Snow Goose

Fire Rating: WUI Approved

Engineered Cedar : Smooth : Snow Goose

Applications

Nusku Terratek T&G is most commonly used for interior & exterior ceilings, soffits & siding applications. It offers a clean finished appearance with our A&Btr vertical grain veneer which doesn't allow knots.

Maintenance & Resistance

Nusku Terratek can deliver without stain or factory finished. On going maintenance is required & is based on the selected coating manufacturer's recommendations for upkeep.





The Terratek Collection

Nusku Terratek is our engineered Western Red Cedar that utilizes an A&Btr vertical grain veneer. With that high grade veneer, clients can expect a clean & linear appearance with balanced natural cedar tones.



Product Description

Species: Western Red Cedar

Grade: A&Btr VG Veneer

Use: Interior & Exterior

Applications: Siding, soffit, ceiling, paneling

Product Specifications

Style: Tongue & Groove

Textures: Smooth

Thickness: 1x

Widths: 4", 6"

Lengths: 6-16' (odds & evens)

Patterns: Micro V-Groove, Nickel Gap (Fineline)

Finish: Dove

Fire Rating: WUI Approved

Engineered Cedar : Smooth : Dove

Applications

Nusku Terratek T&G is most commonly used for interior & exterior ceilings, soffits & siding applications. It offers a clean finished appearance with our A&Btr vertical grain veneer which doesn't allow knots.

Maintenance & Resistance


Nusku Terratek can deliver without stain or factory finished. On going maintenance is required & is based on the selected coating manufacturer's recommendations for upkeep.





The Terratek Collection

Nusku Terratek is our engineered Western Red Cedar that utilizes an A&Btr vertical grain veneer. With that high grade veneer, clients can expect a clean & linear appearance with balanced natural cedar tones.



Product Description

Species: Western Red Cedar

Grade: A&Btr VG Veneer

Use: Interior & Exterior

Applications: Siding, soffit, ceiling, paneling

Product Specifications

Style: Tongue & Groove

Textures: Smooth

Thickness: 1x

Widths: 4", 6"

Lengths: 6-16' (odds & evens)

Patterns: Micro V-Groove, Nickel Gap (Fineline)

Finish: Sandpiper

Fire Rating: WUI Approved

Engineered Cedar : Smooth : Sandpiper

Applications

Nusku Terratek T&G is most commonly used for interior & exterior ceilings, soffits & siding applications. It offers a clean finished appearance with our A&Btr vertical grain veneer which doesn't allow knots.

Maintenance & Resistance

Nusku Terratek can deliver without stain or factory finished. On going maintenance is required & is based on the selected coating manufacturer's recommendations for upkeep.





The Terratek Collection

Nusku Terratek is our engineered Western Red Cedar that utilizes an A&Btr vertical grain veneer. With that high grade veneer, clients can expect a clean & linear appearance with balanced natural cedar tones.



Product Description

Species: Western Red Cedar

Grade: A&Btr VG Veneer

Use: Interior & Exterior

Applications: Siding, soffit, ceiling, paneling

Product Specifications

Style: Tongue & Groove

Textures: Smooth

Thickness: 1x

Widths: 4", 6"

Lengths: 6-16' (odds & evens)

Patterns: Micro V-Groove, Nickel Gap (Fineline)

Finish: Sparrow

Fire Rating: WUI Approved

Engineered Cedar : Smooth : Sparrow

Applications

Nusku Terratek T&G is most commonly used for interior & exterior ceilings, soffits & siding applications. It offers a clean finished appearance with our A&Btr vertical grain veneer which doesn't allow knots.

Maintenance & Resistance

Nusku Terratek can deliver without stain or factory finished. On going maintenance is required & is based on the selected coating manufacturer's recommendations for upkeep.





The Terratek Collection

Nusku Terratek is our engineered Western Red Cedar that utilizes an A&Btr vertical grain veneer. With that high grade veneer, clients can expect a clean & linear appearance with balanced natural cedar tones.



Engineered Cedar : Smooth : Pintail

Product Description

Species: Western Red Cedar

Grade: A&Btr VG Veneer

Use: Interior & Exterior

Applications: Siding, soffit, ceiling, paneling

Product Specifications

Style: Tongue & Groove

Textures: Smooth

Thickness: 1x

Widths: 4", 6"

Lengths: 6-16' (odds & evens)

Patterns: Micro V-Groove, Nickel Gap (Fineline)

Finish: Pintail

Fire Rating: WUI Approved

Applications

Nusku Terratek T&G is most commonly used for interior & exterior ceilings, soffits & siding applications. It offers a clean finished appearance with our A&Btr vertical grain veneer which doesn't allow knots.

Maintenance & Resistance

Nusku Terratek can deliver without stain or factory finished. On going maintenance is required & is based on the selected coating manufacturer's recommendations for upkeep.





The Terratek Collection

Nusku Terratek is our engineered Western Red Cedar that utilizes an A&Btr vertical grain veneer. With that high grade veneer, clients can expect a clean & linear appearance with balanced natural cedar tones.



Product Description

Species: Western Red Cedar

Grade: A&Btr VG Veneer

Use: Interior & Exterior

Applications: Siding, soffit, ceiling, paneling

Product Specifications

Style: Tongue & Groove

Textures: Smooth

Thickness: 1x

Widths: 4", 6"

Lengths: 6-16' (odds & evens)

Patterns: Micro V-Groove, Nickel Gap (Fineline)

Finish: Quail

Fire Rating: WUI Approved

Engineered Cedar : Smooth : Quail

Applications

Nusku Terratek T&G is most commonly used for interior & exterior ceilings, soffits & siding applications. It offers a clean finished appearance with our A&Btr vertical grain veneer which doesn't allow knots.

Maintenance & Resistance

Nusku Terratek can deliver without stain or factory finished. On going maintenance is required & is based on the selected coating manufacturer's recommendations for upkeep.





The Terratek Collection

Nusku Terratek is our engineered Western Red Cedar that utilizes an A&Btr vertical grain veneer. With that high grade veneer, clients can expect a clean & linear appearance with balanced natural cedar tones.



Product Description

Species: Western Red Cedar

Grade: A&Btr VG Veneer

Use: Interior & Exterior

Applications: Siding, soffit, ceiling, paneling

Product Specifications

Style: Tongue & Groove

Textures: Smooth

Thickness: 1x

Widths: 4", 6"

Lengths: 6-16' (odds & evens)

Patterns: Micro V-Groove, Nickel Gap (Fineline)

Finish: Harrier

Fire Rating: WUI Approved

Engineered Cedar : Smooth : Harrier

Applications

Nusku Terratek T&G is most commonly used for interior & exterior ceilings, soffits & siding applications. It offers a clean finished appearance with our A&Btr vertical grain veneer which doesn't allow knots.

Maintenance & Resistance

Nusku Terratek can deliver without stain or factory finished. On going maintenance is required & is based on the selected coating manufacturer's recommendations for upkeep.





The Terratek Collection

Nusku Terratek is our engineered Western Red Cedar that utilizes an A&Btr vertical grain veneer. With that high grade veneer, clients can expect a clean & linear appearance with balanced natural cedar tones.



Product Description

Species: Western Red Cedar

Grade: A&Btr VG Veneer

Use: Interior & Exterior

Applications: Siding, soffit, ceiling, paneling

Product Specifications

Style: Tongue & Groove

Textures: Smooth

Thickness: 1x

Widths: 4", 6"

Lengths: 6-16' (odds & evens)

Patterns: Micro V-Groove, Nickel Gap (Fineline)

Finish: Barn Owl

Fire Rating: WUI Approved

Engineered Cedar : Smooth : Barn Owl

Applications

Nusku Terratek T&G is most commonly used for interior & exterior ceilings, soffits & siding applications. It offers a clean finished appearance with our A&Btr vertical grain veneer which doesn't allow knots.

Maintenance & Resistance

Nusku Terratek can deliver without stain or factory finished. On going maintenance is required & is based on the selected coating manufacturer's recommendations for upkeep.





The Terratek Collection

Nusku Terratek is our engineered Western Red Cedar that utilizes an A&Btr vertical grain veneer. With that high grade veneer, clients can expect a clean & linear appearance with balanced natural cedar tones.



Product Description

Species: Western Red Cedar

Grade: A&Btr VG Veneer

Use: Interior & Exterior

Applications: Siding, soffit, ceiling, paneling

Product Specifications

Style: Tongue & Groove

Textures: Smooth

Thickness: 1x

Widths: 4", 6"

Lengths: 6-16' (odds & evens)

Patterns: Micro V-Groove, Nickel Gap (Fineline)

Finish: Harpy Eagle

Fire Rating: WUI Approved

Engineered Cedar : Smooth : Harpy Eagle

Applications

Nusku Terratek T&G is most commonly used for interior & exterior ceilings, soffits & siding applications. It offers a clean finished appearance with our A&Btr vertical grain veneer which doesn't allow knots.

Maintenance & Resistance

Nusku Terratek can deliver without stain or factory finished. On going maintenance is required & is based on the selected coating manufacturer's recommendations for upkeep.





The Terratek Collection

Nusku Terratek is our engineered Western Red Cedar that utilizes an A&Btr vertical grain veneer. With that high grade veneer, clients can expect a clean & linear appearance with balanced natural cedar tones.



Product Description

Species: Western Red Cedar

Grade: A&Btr VG Veneer

Use: Interior & Exterior

Applications: Siding, soffit, ceiling, paneling

Product Specifications

Style: Tongue & Groove

Textures: Smooth

Thickness: 1x

Widths: 4", 6"

Lengths: 6-16' (odds & evens)

Patterns: Micro V-Groove, Nickel Gap (Fineline)

Finish: Night Hawk

Fire Rating: WUI Approved

Engineered Cedar : Smooth : Night Hawk

Applications

Nusku Terratek T&G is most commonly used for interior & exterior ceilings, soffits & siding applications. It offers a clean finished appearance with our A&Btr vertical grain veneer which doesn't allow knots.

Maintenance & Resistance


Nusku Terratek can deliver without stain or factory finished. On going maintenance is required & is based on the selected coating manufacturer's recommendations for upkeep.





The Terratek Collection

Nusku Terratek is our engineered Western Red Cedar that utilizes an A&Btr vertical grain veneer. With that high grade veneer, clients can expect a clean & linear appearance with balanced natural cedar tones.



Engineered Cedar : Smooth : Raven

Product Description

Species: Western Red Cedar

Grade: A&Btr VG Veneer

Use: Interior & Exterior

Applications: Siding, soffit, ceiling, paneling

Product Specifications

Style: Tongue & Groove

Textures: Smooth

Thickness: 1x

Widths: 4", 6"

Lengths: 6-16' (odds & evens)

Patterns: Micro V-Groove, Nickel Gap (Fineline)

Finish: Raven

Fire Rating: WUI Approved

Applications

Nusku Terratek T&G is most commonly used for interior & exterior ceilings, soffits & siding applications. It offers a clean finished appearance with our A&Btr vertical grain veneer which doesn't allow knots.

Maintenance & Resistance

Nusku Terratek can deliver without stain or factory finished. On going maintenance is required & is based on the selected coating manufacturer's recommendations for upkeep.

