

**planks**  
BESPOKE SURFACES



**WEAVERBIRD**

[weaverbirdco.com](http://weaverbirdco.com)

[hello@weaverbirdco.com](mailto:hello@weaverbirdco.com)

showroom : 2732 east coast highway  
corona del mar, ca 92625

**Vo. 10**

Planks : Bespoke Wood Surfaces



## The Basic Collection


The beauty of the Basic Collection lies in its simplicity & timeless elegance. Durable finishes suitable for any interior.

### Product Description

**Species:** Engineered European Oak  
**Grades:** Prime, Rustic A, Rustic A/B  
**Texture:** Smooth, Lightly Brushed, Aged  
**Applications:** Interior Flooring, Ceiling, Wall Paneling & Box Beams

### Product Specifications

**Thickness (platform/wear layer):** 9/3, 12/3, 16/4, 21/6  
**Widths:** 160mm, 185mm, 220mm, 260mm, 280mm  
**Lengths:** 3-12'  
**Pattern/Profile:** T&G Micro Bevel



EUROPEAN OAK  
B-1 : Smooth



EUROPEAN OAK  
B-2 : Smooth




EUROPEAN OAK  
B-4 : Smooth



EUROPEAN OAK  
B-5 : Smooth



EUROPEAN OAK  
B-7 : Smooth



EUROPEAN OAK  
B-8 : Smooth

### Recommended Usage

Suitable for residential, commercial, hospitality & retail. Material is only allowed in interior applications such as flooring, ceiling, wall paneling or to create box beams onsite.





## The Village Collection

The multiple finishing techniques give the Village Collection a simplistic yet notable appearance. Durable & elegant finishes suitable for any interior.

### Product Description

**Species:** Engineered European Oak  
**Grades:** Prime, Rustic A, Rustic A/B  
**Texture:** Smooth, Lightly Brushed, Aged  
**Applications:** Interior Flooring, Ceiling, Wall Paneling & Box Beams

### Product Specifications

**Thickness (platform/wear layer):** 9/3, 12/3, 16/4, 21/6  
**Widths:** 160mm, 185mm, 220mm, 260mm, 280mm  
**Lengths:** 3-12'  
**Pattern/Profile:** T&G Micro Bevel



EUROPEAN OAK  
Colorado : Smooth



EUROPEAN OAK  
New Mexico : Smooth



EUROPEAN OAK  
Charlotte : Smooth



EUROPEAN OAK  
Moskou : Smooth



EUROPEAN OAK  
Atlanta : Brushed



EUROPEAN OAK  
Ile De Re : Aged



EUROPEAN OAK  
Texas : Smooth



EUROPEAN OAK  
Marrakech : Aged

### Recommended Usage

Suitable for residential, commercial, hospitality & retail. Material is only allowed in interior applications such as flooring, ceiling, wall paneling or to create box beams onsite.







## The City Collection

Various finishing & aging techniques contribute to the unique character & colourations of the City Collection. The collection builds upon the Basic/Village with even more depth & character.

### Product Description

**Species:** Engineered European Oak  
**Grades:** Prime, Rustic A, Rustic A/B  
**Texture:** Smooth, Lightly Brushed, Aged  
**Applications:** Interior Flooring, Ceiling, Wall Paneling & Box Beams

### Product Specifications

**Thickness (platform/wear layer):** 9/3, 12/3, 16/4, 21/6  
**Widths:** 160mm, 185mm, 220mm, 260mm, 280mm  
**Lengths:** 3-12'  
**Pattern/Profile:** T&G Micro Bevel



EUROPEAN OAK  
Paris : Smooth




EUROPEAN OAK  
Wroclaw : Smooth



EUROPEAN OAK  
Stockholm : Smooth



EUROPEAN OAK  
Cognac : Smooth




EUROPEAN OAK  
Double Cognac : Smooth



EUROPEAN OAK  
Military : Smooth



EUROPEAN OAK  
Driftwood : Smooth



EUROPEAN OAK  
Koksijde : Smooth

### Recommended Usage

Suitable for residential, commercial, hospitality & retail. Material is only allowed in interior applications such as flooring, ceiling, wall paneling or to create box beams onsite.





## The City Collection


Various finishing & aging techniques contribute to the unique character & colourations of the City Collection. The collection builds upon the Basic/Village with even more depth & character.

### Product Description


**Species:** Engineered European Oak  
**Grades:** Prime, Rustic A, Rustic A/B  
**Texture:** Smooth, Lightly Brushed, Aged  
**Applications:** Interior Flooring, Ceiling, Wall Paneling & Box Beams

### Product Specifications

**Thickness (platform/wear layer):** 9/3, 12/3, 16/4, 21/6  
**Widths:** 160mm, 185mm, 220mm, 260mm, 280mm  
**Lengths:** 3-12'  
**Pattern/Profile:** T&G Micro Bevel



EUROPEAN OAK  
Aspen : Smooth




EUROPEAN OAK  
Ghanda : Smooth



EUROPEAN OAK  
Bronx : Smooth



EUROPEAN OAK  
Colonial : Smooth




EUROPEAN OAK  
Laguna : Smooth



EUROPEAN OAK  
Santa Barbara : Smooth



EUROPEAN OAK  
Bristol : Smooth



EUROPEAN OAK  
Longeur : Smooth



EUROPEAN OAK  
Miami : Smooth

### Recommended Usage

Suitable for residential, commercial, hospitality & retail. Material is only allowed in interior applications such as flooring, ceiling, wall paneling or to create box beams onsite.







## The Times Collection


Robust old boards are handcrafted & finished in true artisanal manners to achieve the authentic & weathered characteristics of the Times Collection.

### Product Description

**Species:** European & American Oak  
**Grade:** Project & Lot Specific  
**Texture:** Project & Lot Specific  
**Applications:** Interior Flooring, Ceiling, Wall Paneling & Box Beams

### Product Specifications


**Thickness (platform/wear layer):** 12/4-6, 16/4, 21/6  
**Widths:** Project & Lot Specific  
**Lengths:** 2-14' (Project & Lot Specific)  
**Pattern/Profile:** T&G Micro Bevel




EUROPEAN OAK  
Fond de Wagons




FRENCH OAK  
Bordeaux



FRENCH OAK  
Marsielle



FRENCH OAK  
Chateau



AMERICAN OAK  
Americana

### Recommended Usage

Suitable for residential, commercial, hospitality & retail. Material is only allowed in interior applications such as flooring, ceiling, wall paneling or to create box beams onsite.





## The Painted Collection

The Painted Collection allows a huge range of color & creativity with levels of wear that can create a modern sleek appearance or an aged & rustic aesthetic.

### Product Description

**Species:** European Oak  
**Grades:** Prime, Rustic A, Rustic A/B  
**Textures:** Reference Below  
**Applications:** Interior Flooring, Ceiling, Wall Paneling & Box Beams

### Product Specifications


**Thickness (platform/wear layer):** 9/3, 12/3, 16/4, 21/6  
**Widths:** 160mm, 185mm, 220mm, 260mm, 280mm  
**Lengths:** 3-8'  
**Pattern/Profile:** T&G Micro Bevel



EUROPEAN OAK  
**Basic**



FRENCH OAK  
**Damaged**



FRENCH OAK  
**Chipped**



FRENCH OAK  
**Weathered**



AMERICAN OAK  
**Burn & Brush**

### Recommended Usage

Suitable for residential, commercial, hospitality & retail. Material is only allowed in interior applications such as flooring, ceiling, wall paneling or to create box beams onsite.





## Grade Rules : European Oak

European oak is native to various European countries & most commonly from countries like France, Germany, England & Belgium where forests are sustainably managed. While similar to American Oak, European generally displays a darker tone with a naturally rich and warm golden brown colour. Combine European Oak's strength & durability with the distinct variation in grain structure makes for an excellent base of our Plank's offering.



### Prime

This is the highest grade of European Oak often called "Prima" generally meaning of the best quality. It's nearly flawless with very few closed knots. There are no obvious character markings or colour contrasts. ~50% of planking will not have knots & the balance are allowed to have knots no larger than 6mm.



### Rustic A (Rustic Light)

Mix of straight & quarter sawn boards. Slight color variations allowed, no sapwood. Minimum of 25% of planks will not have knots & the balance are allowed to have knots no larger than 20mm. Small amount of character including mineral streaks, occasional end splits & surface checking, group & sound knots.



### Rustic A/B (Rustic Mix)

Mix of straight & quarter sawn boards. Slight color variations allowed. Small areas of sapwood allowed max 10mm. Knots up to 45mm. Increased amount of character including heart knots, sound & open knots, surface checking, end splits & sapwood. Most open voids will be filled.

**1/2" Thickness (12mm):** 9mm Baltic Birch & 3mm Wear Layer  
**5/8" Thickness (15mm):** 12mm Baltic Birch & 3mm Wear Layer  
**3/4" Thickness (20mm):** 16mm Baltic Birch & 4mm Wear Layer  
**1" Thickness (27mm):** 21mm Baltic Birch & 6mm Wear Layer

