



roots  1975

the  
WEAVERBIRD  
COLLECTION

---



**WEAVERBIRD**

[weaverbirdco.com](http://weaverbirdco.com)

[hello@weaverbirdco.com](mailto:hello@weaverbirdco.com)

showroom : 2732 east coast highway  
corona del mar, ca 92625


**Vo. 3**

Thermacor Hemlock : Vertical Grain



## The Thermacor Collection

Nusku Thermacor has a range of species including American Ash, American Oak & North American Hemlock. Everything in this collection has been treated with heat & steam to modified the wood at a cellular level increasing durability, performance & aesthetic.



VG Hemlock : Smooth : No Finish

### Product Description

**Species:** North American Hemlock

**Grade:** 85/15 Vertical Grain

**Use:** Interior & Exterior

**Applications:** Decking, fencing, siding, soffit, ceiling & architectural millwork

### Product Specifications

**Nominal Thickness:** 1x, 2x

**Nominal Width:** 3", 4", 6", 8", 10"

**Length:** 6-18' + 1-3% of 3-5' (odds & evens)

**Pattern:** S4S, T&G, Shiplap

**Texture:** Smooth, Brushed, Textured

**Finish:** No Finish

**Fire Rating:** WUI Approvals

### Applications

Nusku Thermacor Hemlock can be used for a broad range of interior & exterior applications. When modifying softwood species like Hemlock, a single cook temp modifies the wood at a cellular level. Thus our Thermacor Hemlock can be used in any horizontal or vertical application.

### Maintenance & Resistance


Nusku Thermacor can be a low maintenance wood that does not require any additional treatment beyond normal cleaning. If maintaining the color is desired, ongoing maintenance & refinishing is required as moisture/UV exposure will cause natural wood products to develop a silver patina over time. Consult with our team on how best to plan for your Thermacor project.





# The Thermacor Collection

Nusku Thermacor has a range of species including American Ash, American Oak, Pine & North American Hemlock. Everything in this collection has been treated with heat & steam to modified the wood at a cellular level increasing durability, performance & aesthetic.



Smooth



Brushed



Textured

## Product Description

**Type:** Softwood

**Species:** North American Hemlock

**Grade:** 85/15 Vertical Grain

**Use:** Interior & Exterior

**Applications:** Decking, fencing, siding, soffit, ceiling & architectural millwork

## Product Specifications

**Nominal Thickness:** 1x, 2x

**Nominal Width:** 3", 4", 6", 8", 10"

**Length:** 6-18' + 1-3% of 3-5' (odds & evens)

**Pattern:** S4S, T&G, Shiplap

**Texture:** Smooth, Brushed, Textured

**Finish:** Snow Goose

**Fire Rating:** WUI Approvals

## Applications

Nusku Thermacor Hemlock can be used for a broad range of interior & exterior applications. When modifying softwood species like Hemlock, a single cook temp modifies the wood at a cellular level. Thus our Thermacor Hemlock can be used in any horizontal or vertical application.

## Maintenance & Resistance

Nusku Thermacor can be a low maintenance wood that does not require any additional treatment beyond normal cleaning. If maintaining the color is desired, ongoing maintenance & refinishing is required as moisture/UV exposure will cause natural wood products to develop a silver patina over time. Consult with our team on how best to plan for your Thermacor project.







# The Thermacor Collection

Nusku Thermacor has a range of species including American Ash, American Oak, Pine & North American Hemlock. Everything in this collection has been treated with heat & steam to modified the wood at a cellular level increasing durability, performance & aesthetic.



Smooth



Brushed



Textured

## Product Description

**Type:** Softwood

**Species:** North American Hemlock

**Grade:** 85/15 Vertical Grain

**Use:** Interior & Exterior

**Applications:** Decking, fencing, siding, soffit, ceiling & architectural millwork

## Product Specifications

**Nominal Thickness:** 1x, 2x

**Nominal Width:** 3", 4", 6", 8", 10"

**Length:** 6-18' + 1-3% of 3-5' (odds & evens)

**Pattern:** S4S, T&G, Shiplap

**Texture:** Smooth, Brushed, Textured

**Finish:** Dove

**Fire Rating:** WUI Approvals

## Applications

Nusku Thermacor Hemlock can be used for a broad range of interior & exterior applications. When modifying softwood species like Hemlock, a single cook temp modifies the wood at a cellular level. Thus our Thermacor Hemlock can be used in any horizontal or vertical application.

## Maintenance & Resistance

Nusku Thermacor can be a low maintenance wood that does not require any additional treatment beyond normal cleaning. If maintaining the color is desired, ongoing maintenance & refinishing is required as moisture/UV exposure will cause natural wood products to develop a silver patina over time. Consult with our team on how best to plan for your Thermacor project.






## The Thermacor Collection


Nusku Thermacor has a range of species including American Ash, American Oak, Pine & North American Hemlock. Everything in this collection has been treated with heat & steam to modified the wood at a cellular level increasing durability, performance & aesthetic.



Smooth



Brushed



Textured

### Product Description

**Type:** Softwood

**Species:** North American Hemlock

**Grade:** 85/15 Vertical Grain

**Use:** Interior & Exterior

**Applications:** Decking, fencing, siding, soffit, ceiling & architectural millwork

### Product Specifications

**Nominal Thickness:** 1x, 2x

**Nominal Width:** 3", 4", 6", 8", 10"

**Length:** 6-18' + 1-3% of 3-5' (odds & evens)

**Pattern:** S4S, T&G, Shiplap

**Texture:** Smooth, Brushed, Textured

**Finish:** Sandpiper

**Fire Rating:** WUI Approvals

### Applications

Nusku Thermacor Hemlock can be used for a broad range of interior & exterior applications. When modifying softwood species like Hemlock, a single cook temp modifies the wood at a cellular level. Thus our Thermacor Hemlock can be used in any horizontal or vertical application.

### Maintenance & Resistance

Nusku Thermacor can be a low maintenance wood that does not require any additional treatment beyond normal cleaning. If maintaining the color is desired, ongoing maintenance & refinishing is required as moisture/UV exposure will cause natural wood products to develop a silver patina over time. Consult with our team on how best to plan for your Thermacor project.






# The Thermacor Collection

Nusku Thermacor has a range of species including American Ash, American Oak, Pine & North American Hemlock. Everything in this collection has been treated with heat & steam to modified the wood at a cellular level increasing durability, performance & aesthetic.



Smooth



Brushed



Textured

## Product Description

**Type:** Softwood

**Species:** North American Hemlock

**Grade:** 85/15 Vertical Grain

**Use:** Interior & Exterior

**Applications:** Decking, fencing, siding, soffit, ceiling & architectural millwork

## Product Specifications

**Nominal Thickness:** 1x, 2x

**Nominal Width:** 3", 4", 6", 8", 10"

**Length:** 6-18' + 1-3% of 3-5' (odds & evens)

**Pattern:** S4S, T&G, Shiplap

**Texture:** Smooth, Brushed, Textured

**Finish:** Sparrow

**Fire Rating:** WUI Approvals

## Applications

Nusku Thermacor Hemlock can be used for a broad range of interior & exterior applications. When modifying softwood species like Hemlock, a single cook temp modifies the wood at a cellular level. Thus our Thermacor Hemlock can be used in any horizontal or vertical application.

## Maintenance & Resistance

Nusku Thermacor can be a low maintenance wood that does not require any additional treatment beyond normal cleaning. If maintaining the color is desired, ongoing maintenance & refinishing is required as moisture/UV exposure will cause natural wood products to develop a silver patina over time. Consult with our team on how best to plan for your Thermacor project.







# The Thermacor Collection

Nusku Thermacor has a range of species including American Ash, American Oak, Pine & North American Hemlock. Everything in this collection has been treated with heat & steam to modified the wood at a cellular level increasing durability, performance & aesthetic.



Smooth



Brushed



Textured

## Product Description

**Type:** Softwood

**Species:** North American Hemlock

**Grade:** 85/15 Vertical Grain

**Use:** Interior & Exterior

**Applications:** Decking, fencing, siding, soffit, ceiling & architectural millwork

## Product Specifications

**Nominal Thickness:** 1x, 2x

**Nominal Width:** 3", 4", 6", 8", 10"

**Length:** 6-18' + 1-3% of 3-5' (odds & evens)

**Pattern:** S4S, T&G, Shiplap

**Texture:** Smooth, Brushed, Textured

**Finish:** Pintail

**Fire Rating:** WUI Approvals

## Applications

Nusku Thermacor Hemlock can be used for a broad range of interior & exterior applications. When modifying softwood species like Hemlock, a single cook temp modifies the wood at a cellular level. Thus our Thermacor Hemlock can be used in any horizontal or vertical application.

## Maintenance & Resistance

Nusku Thermacor can be a low maintenance wood that does not require any additional treatment beyond normal cleaning. If maintaining the color is desired, ongoing maintenance & refinishing is required as moisture/UV exposure will cause natural wood products to develop a silver patina over time. Consult with our team on how best to plan for your Thermacor project.






# The Thermacor Collection

Nusku Thermacor has a range of species including American Ash, American Oak, Pine & North American Hemlock. Everything in this collection has been treated with heat & steam to modified the wood at a cellular level increasing durability, performance & aesthetic.



Smooth



Brushed



Textured

## Product Description

**Type:** Softwood

**Species:** North American Hemlock

**Grade:** 85/15 Vertical Grain

**Use:** Interior & Exterior

**Applications:** Decking, fencing, siding, soffit, ceiling & architectural millwork

## Product Specifications

**Nominal Thickness:** 1x, 2x

**Nominal Width:** 3", 4", 6", 8", 10"

**Length:** 6-18' + 1-3% of 3-5' (odds & evens)

**Pattern:** S4S, T&G, Shiplap

**Texture:** Smooth, Brushed, Textured

**Finish:** Quail

**Fire Rating:** WUI Approvals

## Applications

Nusku Thermacor Hemlock can be used for a broad range of interior & exterior applications. When modifying softwood species like Hemlock, a single cook temp modifies the wood at a cellular level. Thus our Thermacor Hemlock can be used in any horizontal or vertical application.

## Maintenance & Resistance

Nusku Thermacor can be a low maintenance wood that does not require any additional treatment beyond normal cleaning. If maintaining the color is desired, ongoing maintenance & refinishing is required as moisture/UV exposure will cause natural wood products to develop a silver patina over time. Consult with our team on how best to plan for your Thermacor project.







# The Thermacor Collection

Nusku Thermacor has a range of species including American Ash, American Oak, Pine & North American Hemlock. Everything in this collection has been treated with heat & steam to modified the wood at a cellular level increasing durability, performance & aesthetic.



Smooth



Brushed



Textured

## Product Description

**Type:** Softwood

**Species:** North American Hemlock

**Grade:** 85/15 Vertical Grain

**Use:** Interior & Exterior

**Applications:** Decking, fencing, siding, soffit, ceiling & architectural millwork

## Product Specifications

**Nominal Thickness:** 1x, 2x

**Nominal Width:** 3", 4", 6", 8", 10"

**Length:** 6-18' + 1-3% of 3-5' (odds & evens)

**Pattern:** S4S, T&G, Shiplap

**Texture:** Smooth, Brushed, Textured

**Finish:** Harrier

**Fire Rating:** WUI Approvals

## Applications

Nusku Thermacor Hemlock can be used for a broad range of interior & exterior applications. When modifying softwood species like Hemlock, a single cook temp modifies the wood at a cellular level. Thus our Thermacor Hemlock can be used in any horizontal or vertical application.

## Maintenance & Resistance

Nusku Thermacor can be a low maintenance wood that does not require any additional treatment beyond normal cleaning. If maintaining the color is desired, ongoing maintenance & refinishing is required as moisture/UV exposure will cause natural wood products to develop a silver patina over time. Consult with our team on how best to plan for your Thermacor project.





## The Thermacor Collection

Nusku Thermacor has a range of species including American Ash, American Oak, Pine & North American Hemlock. Everything in this collection has been treated with heat & steam to modified the wood at a cellular level increasing durability, performance & aesthetic.



Smooth



Brushed



Textured

### Product Description

**Type:** Softwood

**Species:** North American Hemlock

**Grade:** 85/15 Vertical Grain

**Use:** Interior & Exterior

**Applications:** Decking, fencing, siding, soffit, ceiling & architectural millwork

### Product Specifications

**Nominal Thickness:** 1x, 2x

**Nominal Width:** 3", 4", 6", 8", 10"

**Length:** 6-18' + 1-3% of 3-5' (odds & evens)

**Pattern:** S4S, T&G, Shiplap

**Texture:** Smooth, Brushed, Textured

**Finish:** Barn Owl

**Fire Rating:** WUI Approvals

### Applications

Nusku Thermacor Hemlock can be used for a broad range of interior & exterior applications. When modifying softwood species like Hemlock, a single cook temp modifies the wood at a cellular level. Thus our Thermacor Hemlock can be used in any horizontal or vertical application.

### Maintenance & Resistance

Nusku Thermacor can be a low maintenance wood that does not require any additional treatment beyond normal cleaning. If maintaining the color is desired, ongoing maintenance & refinishing is required as moisture/UV exposure will cause natural wood products to develop a silver patina over time. Consult with our team on how best to plan for your Thermacor project.





## The Thermacor Collection

Nusku Thermacor has a range of species including American Ash, American Oak, Pine & North American Hemlock. Everything in this collection has been treated with heat & steam to modified the wood at a cellular level increasing durability, performance & aesthetic.



Smooth



Brushed



Textured

### Product Description

**Type:** Softwood

**Species:** North American Hemlock

**Grade:** 85/15 Vertical Grain

**Use:** Interior & Exterior

**Applications:** Decking, fencing, siding, soffit, ceiling & architectural millwork

### Product Specifications

**Nominal Thickness:** 1x, 2x

**Nominal Width:** 3", 4", 6", 8", 10"

**Length:** 6-18' + 1-3% of 3-5' (odds & evens)

**Pattern:** S4S, T&G, Shiplap

**Texture:** Smooth, Brushed, Textured

**Finish:** Harpy Eagle

**Fire Rating:** WUI Approvals

### Applications

Nusku Thermacor Hemlock can be used for a broad range of interior & exterior applications. When modifying softwood species like Hemlock, a single cook temp modifies the wood at a cellular level. Thus our Thermacor Hemlock can be used in any horizontal or vertical application.

### Maintenance & Resistance

Nusku Thermacor can be a low maintenance wood that does not require any additional treatment beyond normal cleaning. If maintaining the color is desired, ongoing maintenance & refinishing is required as moisture/UV exposure will cause natural wood products to develop a silver patina over time. Consult with our team on how best to plan for your Thermacor project.







# The Thermacor Collection

Nusku Thermacor has a range of species including American Ash, American Oak, Pine & North American Hemlock. Everything in this collection has been treated with heat & steam to modified the wood at a cellular level increasing durability, performance & aesthetic.



Smooth



Brushed



Textured

## Product Description

**Type:** Softwood

**Species:** North American Hemlock

**Grade:** 85/15 Vertical Grain

**Use:** Interior & Exterior

**Applications:** Decking, fencing, siding, soffit, ceiling & architectural millwork

## Product Specifications

**Nominal Thickness:** 1x, 2x

**Nominal Width:** 3", 4", 6", 8", 10"

**Length:** 6-18' + 1-3% of 3-5' (odds & evens)

**Pattern:** S4S, T&G, Shiplap

**Texture:** Smooth, Brushed, Textured

**Finish:** Night Hawk

**Fire Rating:** WUI Approvals

## Applications

Nusku Thermacor Hemlock can be used for a broad range of interior & exterior applications. When modifying softwood species like Hemlock, a single cook temp modifies the wood at a cellular level. Thus our Thermacor Hemlock can be used in any horizontal or vertical application.

## Maintenance & Resistance

Nusku Thermacor can be a low maintenance wood that does not require any additional treatment beyond normal cleaning. If maintaining the color is desired, ongoing maintenance & refinishing is required as moisture/UV exposure will cause natural wood products to develop a silver patina over time. Consult with our team on how best to plan for your Thermacor project.





# The Thermacor Collection

Nusku Thermacor has a range of species including American Ash, American Oak, Pine & North American Hemlock. Everything in this collection has been treated with heat & steam to modified the wood at a cellular level increasing durability, performance & aesthetic.



Smooth



Brushed



Textured

## Product Description

**Type:** Softwood

**Species:** North American Hemlock

**Grade:** 85/15 Vertical Grain

**Use:** Interior & Exterior

**Applications:** Decking, fencing, siding, soffit, ceiling & architectural millwork

## Product Specifications

**Nominal Thickness:** 1x, 2x

**Nominal Width:** 3", 4", 6", 8", 10"

**Length:** 6-18' + 1-3% of 3-5' (odds & evens)

**Pattern:** S4S, T&G, Shiplap

**Texture:** Smooth, Brushed, Textured

**Finish:** Raven

**Fire Rating:** WUI Approvals

## Applications

Nusku Thermacor Hemlock can be used for a broad range of interior & exterior applications. When modifying softwood species like Hemlock, a single cook temp modifies the wood at a cellular level. Thus our Thermacor Hemlock can be used in any horizontal or vertical application.

## Maintenance & Resistance

Nusku Thermacor can be a low maintenance wood that does not require any additional treatment beyond normal cleaning. If maintaining the color is desired, ongoing maintenance & refinishing is required as moisture/UV exposure will cause natural wood products to develop a silver patina over time. Consult with our team on how best to plan for your Thermacor project.

